

- [Dossier preparation manuals](#)
- [Q&A](#)
- [Create support request](#)
- [IUCLID user community](#)
- [Additional information](#)
- [Video tutorials](#)

SuperUser EPA/ORD/CCTE/SCDCD

- User Settings
- Logout
  
- Dashboard
- Cesium formate

**Filtered aggr\_1**

**04fba0b-7bf0-4e92-8dfd-e7832e139060**

View Dossiers

Validate

- Export to i6z
- Extract to dataset
- Create component PDF/RTF
- Create document PDF/RTF
- Compare
- Generate report
- Dissemination preview

Type at least 3 characters

REACH Complete  
Cesium formate

- 1 General information  
4
- 2 Classification & Labelling and PBT assessment
- 3 Manufacture, use and exposure
- 4 Physical and chemical properties  
28
- 5 Environmental fate and pathways  
10
- 6 Ecotoxicological information  
24
- 7 Toxicological information  
32
  - 166f589c-b5c3-4839-86b0-58598d07c238
  - 7.1 Toxicokinetics, metabolism and distribution  
1
  - 7.2 Acute Toxicity

4

- 7.3 Irritation / corrosion

4

- 7.4 Sensitisation

2

- 7.5 Repeated dose toxicity

8

- 7.5.1 Repeated dose toxicity: oral

6

- 3557fc51-303f-4021-af2d-2dd83aafd5e
- 4e1a78b6-ba19-440b-8027-3377f04dcb28
- 00a1aef3-4337-4d0d-9261-713b4a7297e3
- e48c889e-667e-47f8-9a83-6b7f80d2b71e
- 07582398-b407-4cc2-8729-def9c53ac76b
- 31c3911e-0a44-4d3c-8a13-de5a3f0acaa5

- 7.5.2 Repeated dose toxicity: inhalation

1

- 7.5.3 Repeated dose toxicity: dermal

1

- 7.5.4 Repeated dose toxicity: other routes

- 7.6 Genetic toxicity

3

- 7.7 Carcinogenicity

1

- 7.8 Toxicity to reproduction

6

- 7.9 Specific investigations

2

- 7.10 Exposure related observations in humans

- 7.11 Toxic effects on livestock and pets

- 7.12 Additional toxicological information

- 8 Analytical methods

- 9 Residues in food and feedingstuffs

- 10 Effectiveness against target organisms

- 11 Guidance on safe use

- 12 Literature search

- 13 Assessment reports

- 14 Information requirements

- Inherited templates

UUID 00a1aef3-4337-4d0d-9261-713b4a7297e3 ☐ Hide empty fields

-

## Administrative data



Endpoint

short-term repeated dose toxicity: oral

Type of information

experimental study

Adequacy of study

supporting study

☐ Robust study summary

☐ Used for classification

☐ Used for SDS

Study period

Reliability

1 (reliable without restriction)

Rationale for reliability incl. deficiencies

Data waiving

Justification for data waiving

Justification for type of information

## Attached justification

# Attached justification Reason / purpose Actions

## Cross-reference

# Reason / purpose for cross-reference Related information Remarks Actions

## Data source

Reference

- study report | Unnamed | 2008 | 2008-09-03

Data access

Data protection claimed

## Materials and methods

## Test guideline

# Qualifier Guideline Version / remarks Deviations Actions 1

Qualifier

according to guideline

Guideline

OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)

Version / remarks

Deviations

no

2

Qualifier

according to guideline

Guideline

EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))

Version / remarks

Deviations

no

---

Principles of method if other than guideline

---

GLP compliance

yes (incl. QA statement)

---

Limit test

no

---

Test material

---

Test material information

- Unnamed | Unnamed | Caesium formate | EC 222-492-8 | 3495-36-1

---

Additional test material information

---

Specific details on test material used for the study

---

Specific details on test material used for the study (confidential)

---

Test animals

---

Species

rat

---

Strain

Sprague-Dawley

---

Details on species / strain selection

---

Sex

male/female

---

Details on test animals or test system and environmental conditions

---

Administration / exposure

---

Route of administration

oral: gavage

---

Details on route of administration

---

Vehicle

---

Details on oral exposure

---

Analytical verification of doses or concentrations

---

Details on analytical verification of doses or concentrations

---

Duration of treatment / exposure

Study animals treated with test substance for up to 28 consecutive days

---

Frequency of treatment

---

**Doses / concentrations**

# Dose / conc. Remarks Actions

---

No. of animals per sex per dose

---

Control animals

---

Details on study design

---

Positive control

---

**Examinations**

Observations and examinations performed and frequency

---

Sacrifice and pathology

---

Optional endpoint(s)

---

Other examinations

---

Statistics

---

**Any other information on materials and methods incl. tables**

---

**Results and discussion**

---

**Results of examinations**

Clinical signs

---

Description (incidence and severity)

---

Mortality

---

Description (incidence)

---

Body weight and weight changes

---

Description (incidence and severity)

---

Food consumption and compound intake (if feeding study)

---

Description (incidence and severity)

---

Food efficiency

---

Description (incidence and severity)

---

Water consumption and compound intake (if drinking water study)

---

Description (incidence and severity)

---

Ophthalmological findings

---

Description (incidence and severity)

---

Haematological findings

---

Description (incidence and severity)

Clinical biochemistry findings

Description (incidence and severity)

Endocrine findings

Description (incidence and severity)

Urinalysis findings

Description (incidence and severity)

Behaviour (functional findings)

Description (incidence and severity)

Immunological findings

Description (incidence and severity)

Organ weight findings including organ / body weight ratios

Description (incidence and severity)

Gross pathological findings

Description (incidence and severity)

Neuropathological findings

Description (incidence and severity)

Histopathological findings: non-neoplastic

Description (incidence and severity)

Histopathological findings: neoplastic

Description (incidence and severity)

Other effects

Description (incidence and severity)

Details on results

Effect levels

# Key result Dose descriptor Effect level Based on Sex Basis for effect level Remarks on result Actions 1

☐ Key result

Dose descriptor

NOAEL

Effect level

ca. 15 mg/kg bw/day (nominal)

Based on

Sex

male/female

Basis for effect level

- other:

Remarks on result

Target system / organ toxicity

# Key result Critical effects observed Lowest effective dose / conc. System Organ Treatment related Dose response relationship Relevant for humans Actions 1

☐ Key result

Critical effects observed

yes

Lowest effective dose / conc.

15 mg/kg bw/day (nominal)

System

haematopoietic

Organ

• not specified

Treatment related

yes

Dose response relationship

yes

Relevant for humans

not specified

Any other information on results incl. tables

Overall remarks, attachments

Overall remarks

Attachments

# Type Attached (confidential) document Attached (sanitised) documents for publication Remarks Actions

Illustration (picture/graph)

Applicant's summary and conclusion

Conclusions

Executive summary

TOP

- Dashboard
- Substances
- Mixtures / Products
- Articles
- Categories

Toolbox

- Template
- Manage Reports

Inventory manager

- Contact
- Legal entity
- Sites

- Reference substance
- Test material
- Literature reference

#### User management

- User Settings
- Users
- Roles

#### About IUCLID

- About
- Help