

- [Dossier preparation manuals](#)
- [Q&A](#)
- [Create support request](#)
- [IUCLID user community](#)
- [Additional information](#)
- [Video tutorials](#)

SuperUser EPA/ORD/CCTE/SCDCD

- User Settings
- Logout
- Dashboard
- Naphtha (petroleum), steam-cracked ...

Filtered aggr_1

7ea395fb-f078-4b14-b588-343baa7b5e93

View Dossiers

Validate

- Export to i6z
- Extract to dataset
- Create component PDF/RTF
- Create document PDF/RTF
- Compare
- Generate report
- Dissemination preview

Type at least 3 characters

REACH Complete

Naphtha (petroleum), steam-cracked middle arom. [A complex combination of hydrocarbons produced by the distillation of products from a steam-cracking process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C7 through C12 and boiling in the range of approximately 130°C to 220°C(266°F to 428°F).]

- 1 General information
8
- 2 Classification & Labelling and PBT assessment
- 3 Manufacture, use and exposure
- 4 Physical and chemical properties
65
- 5 Environmental fate and pathways
13
- 6 Ecotoxicological information
35

- 7 Toxicological information

181

- 98d74fd2-380e-4d13-a59c-7c9aa4870344
- 45cd5c44-80f3-4e40-a879-4046b1b702f1
- 62ea9bd3-c46b-47a9-8252-f2df253a799e
- eb9c6296-88f5-45ac-a68e-85172a296bd2
- 7.1 Toxicokinetics, metabolism and distribution
18
- 7.2 Acute Toxicity
21
- 7.3 Irritation / corrosion
17
- 7.4 Sensitisation
6
- 7.5 Repeated dose toxicity
23
 - 7.5.1 Repeated dose toxicity: oral
12
 - 08adade1-188f-42bb-a62e-21bf286639e6
 - 8702b84d-e534-4ec6-88cf-fbc8f189a211
 - a53fe8ff-064b-4966-9352-e7cc498c4abd
 - eb2cd2af-5d4b-47b2-89dc-923c71b42b99
 - 2d3811cd-9da7-407b-9c89-cbeca8386676
 - 2df2914b-0674-465d-8fce-4e1821d2b01e
 - c4acc0b0-01c7-4d6f-b37c-911838740387
 - 96b3cc90-ab71-45be-89ef-5ccaba52be51
 - 22f11c67-99e9-4fc0-bbc5-d200d4262d89
 - 07631df2-b813-4d2a-a84b-4d6f4f72d6de
 - 6a1d549b-aa6c-432a-bb7f-9db10e96a472
 - 63e125a0-382a-49b9-895d-f2a0c3e9e1da
 - 7.5.2 Repeated dose toxicity: inhalation
9
 - 7.5.3 Repeated dose toxicity: dermal
2
 - 7.5.4 Repeated dose toxicity: other routes
- 7.6 Genetic toxicity
21
- 7.7 Carcinogenicity
7
- 7.8 Toxicity to reproduction
28
- 7.9 Specific investigations
14
- 7.10 Exposure related observations in humans
22
- 7.11 Toxic effects on livestock and pets
- 7.12 Additional toxicological information

- 8 Analytical methods

- 9 Residues in food and feedingstuffs

- 10 Effectiveness against target organisms

- 11 Guidance on safe use

- 12 Literature search

- 13 Assessment reports
- 14 Information requirements
- Inherited templates

UUID a53fe8ff-064b-4966-9352-e7cc498c4abd ☐ Hide empty fields

- Compare Document

0

1

0

Administrative data

Data source

Materials and methods

Results and discussion

Overall remarks, attachments

Applicant's summary and conclusion

Administrative data

Endpoint
sub-chronic toxicity: oral

Type of information
experimental study

Adequacy of study
key study

☐ Robust study summary

☐ Used for classification

☐ Used for SDS

Study period

Reliability
1 (reliable without restriction)

Rationale for reliability incl. deficiencies

Data waiving

Justification for data waiving

Justification for type of information

Attached justification

Attached justification Reason / purpose Actions

Cross-reference

Reason / purpose for cross-reference Related information Remarks Actions

Data source

Reference

- study report | Unnamed | 1990

Data access

Data protection claimed

Materials and methods

Test guideline

Qualifier Guideline Version / remarks Deviations Actions 1

Qualifier

according to guideline

Guideline

EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Version / remarks

Deviations

Principles of method if other than guideline

GLP compliance

yes

Limit test

no

Test material

Test material information

- Unnamed | Unnamed | toluene | EC 203-625-9 | 108-88-3

Additional test material information

Specific details on test material used for the study

Specific details on test material used for the study (confidential)

Test animals

Species

mouse

Strain

B6C3F1

Details on species / strain selection

Sex

male/female

Details on test animals or test system and environmental conditions

Administration / exposure

Route of administration

oral: gavage

Details on route of administration

Vehicle

Details on oral exposure

Analytical verification of doses or concentrations

Details on analytical verification of doses or concentrations

Duration of treatment / exposure

13 weeks

Frequency of treatment

Doses / concentrations

Dose / conc. Remarks Actions

No. of animals per sex per dose

Control animals

Details on study design

Positive control

Examinations

Observations and examinations performed and frequency

Sacrifice and pathology

Optional endpoint(s)

Other examinations

Statistics

Any other information on materials and methods incl. tables

Results and discussion

Results of examinations

Clinical signs

Description (incidence and severity)

Mortality

Description (incidence)

Body weight and weight changes

Description (incidence and severity)

Food consumption and compound intake (if feeding study)

Description (incidence and severity)

Food efficiency

Description (incidence and severity)

Water consumption and compound intake (if drinking water study)

Description (incidence and severity)

Ophthalmological findings

Description (incidence and severity)

Haematological findings

Description (incidence and severity)

Clinical biochemistry findings

Description (incidence and severity)

Endocrine findings

Description (incidence and severity)

Urinalysis findings

Description (incidence and severity)

Behaviour (functional findings)

Description (incidence and severity)

Immunological findings

Description (incidence and severity)

Organ weight findings including organ / body weight ratios

Description (incidence and severity)

Gross pathological findings

Description (incidence and severity)

Neuropathological findings

Description (incidence and severity)

Histopathological findings: non-neoplastic

Description (incidence and severity)

Histopathological findings: neoplastic

Description (incidence and severity)

Other effects

Description (incidence and severity)

Details on results

Effect levels

Key result Dose descriptor Effect level Based on Sex Basis for effect level Remarks on result Actions 1

☐ Key result
Dose descriptor

NOAEL
Effect level
625 mg/kg bw/day (nominal)
Based on
Sex
male/female
Basis for effect level

- other:

Remarks on result
2

☐ Key result
Dose descriptor
LOAEL
Effect level
1250 mg/kg bw/day (nominal)
Based on
Sex
male/female
Basis for effect level

- other:

Remarks on result

Target system / organ toxicity

Key result Critical effects observed Lowest effective dose / conc. System Organ Treatment related Dose response relationship Relevant for humans Actions 1

☐ Key result
Critical effects observed
not specified
Lowest effective dose / conc.
System
Organ

Treatment related
Dose response relationship
Relevant for humans

Any other information on results incl. tables

Overall remarks, attachments

Overall remarks

Attachments

Type Attached (confidential) document Attached (sanitised) documents for publication Remarks Actions

Illustration (picture/graph)

Applicant's summary and conclusion

Conclusions

Executive summary

TOP

- Dashboard
- Substances
- Mixtures / Products
- Articles
- Categories

Toolbox

- Template
- Manage Reports

Inventory manager

- Contact
- Legal entity
- Sites
- Reference substance
- Test material
- Literature reference

User management

- User Settings
- Users
- Roles

About IUCLID

- About
- Help